

	L #	Hits	Search Text	DBs
1	L14	49674	coil near5 (embed\$4 or bur\$3 or groov\$3 or channel\$4 or depress\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT
2	L15	16	(US-20020005405-\$).did. or (US-5970299-\$ or US-6078781-\$ or US-6054677-\$ or US-5760375-\$ or US-5412184-\$ or US-6207939-\$ or US-5526561-\$ or US-6055403-\$ or US-6660981-\$ or US-4675487-\$ or US-3742178-\$ or US-5529703-\$).did. or (JP-61073980-\$ or JP-06123486-\$ or JP-06168631-\$).did.	US-PGPUB; USPAT; JPO
3	L16	5	14 and 15	US-PGPUB; USPAT; JPO
4	L17	1	10/684493	US-PGPUB; USPAT; JPO
5	L18	1	14 and 17	US-PGPUB; USPAT; JPO
6	L19	1732429	perpendicular\$3 or longitudin\$4	US-PGPUB; USPAT; JPO
7	L20	1	17 and 19	US-PGPUB; USPAT; JPO
8	L21	7626	roll\$4 with bearing with gear	US-PGPUB; USPAT; JPO

	L #	Hits	Search Text	DBs
9	L22	467	219/619.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWE NT
10	L23	6253	399/328-338.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWE NT
11	L24	9	21 and 22	US- PGPUB; USPAT; EPO; JPO; DERWE NT
12	L25	7	23 and 24	US- PGPUB; USPAT; EPO; JPO; DERWE NT
13	L26	2	24 not 25	US- PGPUB; USPAT; EPO; JPO; DERWE NT
14	L27	21248	roll\$4 same bearing same gear	US- PGPUB; USPAT; JPO

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>15</b>	L28	37	22 and 27	US- PGPUB; USPAT; JPO
<b>16</b>	L29	22	28 and 23 not 24	US- PGPUB; USPAT; JPO